

Test Report No. CANEC2301575901 Date: 22 Feb 2023 Page 1 of 16

Client Name: YAGEO CORPORATION /BESTBRIGHT ELECTRONICS CO.,LTD

Client Address: 3F., 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN, CHINA

BUILDING 3, NO.24 EAST INDUSTRIAL ROAD, SONGSHAN LAKE PARK, DONGGUAN CITY,

GUANGDONG PROVINCE, P.R.C

Sample Name : Doide AXIAL

The above sample(s) and information were provided by the client.

SGS Job No.: CP23-003863 - SZ

Date of Sample Received: 10 Feb 2023

Testing Period: 10 Feb 2023 - 22 Feb 2023

Test Requested: Selected test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU-Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)	PASS
EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium	PASS
Halogen	See Results
AfPS GS 2019:01 PAK - Polycyclic Aromatic Hydrocarbons (PAHs)	See Results
Perfluorooctanoic acid (PFOA) and its salts & Perfluorooctane sulfonates (PFOS) and its derivatives	See Results





No. CANEC2301575901

Date: 22 Feb 2023

Page 2 of 16

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Jessieli

Jessie Li Approved Signatory







No. CANEC2301575901

Date: 22 Feb 2023

Page 3 of 16

Test Result(s):

Test Part Description:

Specimen No.	SGS Sample ID	Description
SN1	CAN23-015759.001	Silvery metal pin
SN2	CAN23-015759.002	Black material
SN3	CAN23-015759.003	Black/silvery chip
SN4	CAN23-015759.004	"Doide AXIAL"(mixed)
SN5	CAN23-015759.008	Silver-gray metal

Remarks:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analyzed by ICP-OES, UV-Vis and GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	<u>003</u>
Cadmium (Cd)	100	mg/kg	2	ND	ND
Lead (Pb)	1000	mg/kg	2	ND	41602▲
Mercury (Hg)	1000	mg/kg	2	ND	ND
Hexavalent Chromium (CrVI)	1000	mg/kg	8		ND
Hexavalent Chromium (CrVI)	1000	mg/kg	8	ND	
Sum of PBBs	1000	mg/kg	-	ND	ND
Monobromobiphenyl	-	mg/kg	5	ND	ND
Dibromobiphenyl	-	mg/kg	5	ND	ND
Tribromobiphenyl	-	mg/kg	5	ND	ND
Tetrabromobiphenyl	-	mg/kg	5	ND	ND
Pentabromobiphenyl	-	mg/kg	5	ND	ND
Hexabromobiphenyl	-	mg/kg	5	ND	ND
Heptabromobiphenyl	-	mg/kg	5	ND	ND
Octabromobiphenyl	-	mg/kg	5	ND	ND
Nonabromobiphenyl	-	mg/kg	5	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@egs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 t (86–20) 82155555

www.sgsgroup.com.cn sgs.china@sgs.com



Test Report	No. CANEC2301575901		Date: 2	2 Feb 202	Page 4 of 16	
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	<u>003</u>	
Decabromobiphenyl	-	mg/kg	5	ND	ND	
Sum of PBDEs	1000	mg/kg	-	ND	ND	
Monobromodiphenyl ether	-	mg/kg	5	ND	ND	
Dibromodiphenyl ether	-	mg/kg	5	ND	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	ND	
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND	ND	
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND	ND	
Bis (2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND	ND	
Diisobutyl Phthalates (DIBP)	1000	mg/kg	50	ND	ND	

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.
- (4) A:According to the declaration from the client, Lead (Pb) in specimen 003 is exempted by EU RoHS directive 2011/65/EU based on |ANNEX III 7(a)|: Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium

Test Method: With reference to IEC 62321-4:2013+A1:2017, IEC 62321-5:2013, IEC 62321-7-1:2015, analyzed by ICP-OES and UV-Vis.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>	<u>008</u>
Cadmium (Cd)	100	mg/kg	2	ND	ND
Lead (Pb)	1000	mg/kg	2	ND	900950
Mercury (Hg)	1000	mg/kg	2	ND	ND
Hexavalent Chromium (Cr(VI))▼	-	µg/cm²	0.10	ND	ND

Notes:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 www.sgs t (86–20) 82155555 sgs.china



Test Report No. CANEC2301575901 Date: 22 Feb 2023 Page 5 of 16

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series
- (3) ▼= a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 µg/cm². The sample coating is considered to contain CrVI
 - b. The sample is negative for CrVI if CrVI is ND (concentration less than 0.10 μg/cm²). The coating is considered a non-CrVI based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.
- (4) A:According to the declaration from the client, Lead (Pb) in specimen 008 is exempted by EU RoHS directive 2011/65/EU based on |ANNEX III 7(a)|: Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).

Halogen

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

Test Item(s)	<u>Unit</u>	<u>MDL</u>	<u>004</u>
Fluorine (F)	mg/kg	50	ND
Chlorine (CI)	mg/kg	50	ND
Bromine (Br)	mg/kg	50	ND
lodine (I)	mg/kg	50	ND

AfPS GS 2019:01 PAK - Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

CAS NO.	<u>Unit</u>	<u>MDL</u>	<u>004</u>
91-20-3	mg/kg	0.1	ND
85-01-8	mg/kg	0.1	ND
120-12-7	mg/kg	0.1	ND
206-44-0	mg/kg	0.1	ND
129-00-0	mg/kg	0.1	ND
56-55-3	mg/kg	0.1	ND
218-01-9	mg/kg	0.1	ND
205-99-2	mg/kg	0.1	ND
205-82-3	mg/kg	0.1	ND
207-08-9	mg/kg	0.1	ND
50-32-8	mg/kg	0.1	ND
192-97-2	mg/kg	0.1	ND
	91-20-3 85-01-8 120-12-7 206-44-0 129-00-0 56-55-3 218-01-9 205-99-2 205-82-3 207-08-9 50-32-8	91-20-3 mg/kg 85-01-8 mg/kg 120-12-7 mg/kg 206-44-0 mg/kg 129-00-0 mg/kg 56-55-3 mg/kg 218-01-9 mg/kg 205-99-2 mg/kg 205-82-3 mg/kg 207-08-9 mg/kg 50-32-8 mg/kg	91-20-3 mg/kg 0.1 85-01-8 mg/kg 0.1 120-12-7 mg/kg 0.1 206-44-0 mg/kg 0.1 129-00-0 mg/kg 0.1 56-55-3 mg/kg 0.1 218-01-9 mg/kg 0.1 205-99-2 mg/kg 0.1 205-82-3 mg/kg 0.1 207-08-9 mg/kg 0.1 50-32-8 mg/kg 0.1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 www.sgsgroup.com.cn t (86–20) 82155555 sgs.china@sgs.com



Test Report	No. CANEC2301575901	Date: 22 Feb 2023	F	Page 6 of 16
Test Item(s)	CAS NO.	<u>Unit</u>	MDL	<u>004</u>
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	53-70-3	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	mg/kg	0.1	ND
Sum of 4 PAHs (Phenanthrene, Pyre	ne, Anthracene, -	mg/kg	-	ND
Fluoranthene)				
Sum of 15 PAHs	-	mg/kg	-	ND





No. CANEC2301575901

Date: 22 Feb 2023

Page 7 of 16

AfPS (German commission for Product Safety): PAHs requirements

	Category 1	Cate	gory 2	Categ	ory 3
Parameter (mg/kg)	Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use	category 1, long-term co than 30s) o repetitive con during the	ot covered by coming into contact (more r short-term tact ^c with skin intended or ble use ^d .	Materials cov by category category 2, o short-term cc 30s) with skill intended or f	y 1 nor by coming into ontact (up to n during the foreseeable
	-in toys according to Directive 2009/48/EC or -for the use by children ^{a,b} up to 3 years of age.	a. use by children	b. other consumer products	a. use by children	b. other consumer products
Benzo(a)pyrene (BaP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(e)pyrene (BeP)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(a)anthracene (BaA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene (BbF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene (BjF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene (BkF)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene (CHR)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracene (DBA)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene (BPE)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno(1,2,3-cd)pyrene (IPY)	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Phenanthrene (PHE), pyrene (PYR), anthracene (ANT), fluoranthene (FLT)	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene (NAP)	< 1	<	2	< 1	0
Sum of 15 PAHs	<1	< 5	< 10	< 20	< 50

Note:

Remark: The German committee on Product Safety (AfPS) published a new PAHs document (AfPS GS 2019:01 PAK) on April 10, 2020, which will be binding for the issue of GS mark certificate from July 1, 2020.

Perfluorooctanoic acid (PFOA) and its salts & Perfluorooctane sulfonates (PFOS) and its derivatives

Test Method: With reference to CEN/TS15968:2010, analysis was performed by LC-MS or LC-MS/MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 w t (86–20) 82155555 sg

www.sgsgroup.com.cn sgs.china@sgs.com

^a A "Child" is legally defined as a person before reaching the age of 14 years.

^b Use by children includes both active and passive contact by children.

^c Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No. 1272/2013)

^d According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28) "foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.



Test Report	No. CANEC230	1575901	Date: 22 Feb 202	3	Page 8 of 16
Test Item(s)		CAS NO.	<u>Unit</u>	MDL	004
Perfluorooctanoic acid (PFOA) and	its salts*	-	mg/kg	0.010	ND
Perfluorooctane sulfonates (PFOS)	and its salts*	-	mg/kg	0.010	ND
Perfluorooctane Sulfonamide (PFO	SA)	754-91-6	mg/kg	0.010	ND
N-methylperfluoro-1-octanesulfonal	mide(N-MeFOSA)	31506-32-8	mg/kg	0.010	ND
N-ethylperfluoro-1-octanesulfonami	de (N-EtFOSA)	4151-50-2	mg/kg	0.010	ND
2-(N-methylperfluoro-1-octanesulfo-ethanol(N-MeFOSE)	namido)	24448-09-7	mg/kg	0.010	ND
2-(N-ethylperfluoro-1-octanesulfona-ethanol(N-EtFOSE)	amido)	1691-99-2	mg/kg	0.010	ND
Perfluorooctane sulfonates (PFOS) derivatives	and its	-	mg/kg	-	ND
denvalives					

Notes:

- (1) PFOA and its salts* including PFOA (CAS No. 335-67-1), APFO (CAS No. 3825-26-1), PFOA-Na (CAS No. 335-95-5), PFOA-K (CAS No. 2395-00-8), PFOA-Ag (CAS No. 335-93-3) and PFOA-F (CAS No. 335-66-0). The result of PFOA is used to represent PFOA and its salts.
- (2) PFOS and its salts* including PFOS (CAS No. 1763-23-1), POSF(CAS No. 307-35-7), PFOS-K (CAS No. 2795-39-3), PFOS-NH₄ (CAS No. 29081-56-9), PFOS-N($C_{10}H_{21}$)₂(CH₃)₂ (CAS No. 251099-16-8), PFOS-NH₂($C_{2}H_{4}OH$)₂ (CAS No. 70225-14-8), PFOS-Li (CAS No. 29457-72-5), PFOS-N($C_{2}H_{5}$)₄ (CAS No. 56773-42-3) and PFOS-Na (CAS No. 4021-47-0). The result of PFOS is used to represent PFOS and its salts.

Remark: The sample(s) 004 was/were analyzed on behalf of the applicant as mixing sample in one testing. The above result(s) was/were only given as the informality value and only for reference.

Remark: Results & photo(s) of 008 in this report refer to 023 in test report CANEC2300109006.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.





No. CANEC2301575901


Date: 22 Feb 2023

Page 9 of 16

ATTACHMENTS

Pb/Cd/Hg/Cr6+/PBBs/PBDEs Testing Flow Chart

1) These samples were dissolved totally by pre -conditioning method according to below flow chart. (Cr⁶⁺ and PBBs/PBDEs test method excluded).








No. CANEC2301575901

Date: 22 Feb 2023

Page 10 of 16

ATTACHMENTS

Phthalates Testing Flow Chart








No. CANEC2301575901

Page 11 of 16

Date: 22 Feb 2023

ATTACHMENTS

Halogen Testing Flow Chart








No. CANEC2301575901

Date: 22 Feb 2023

Page 12 of 16

ATTACHMENTS

PAHs Testing Flow Chart








No. CANEC2301575901

Date: 22 Feb 2023

Page 13 of 16

ATTACHMENTS

PFAS Testing Flow Chart








No. CANEC2301575901

Page 14 of 16

Date: 22 Feb 2023

Sample photo:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663 中国・广东・广州高新技术产业开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 www.sgsgroup.com.cn t (86–20) 82155555 sgs.china@sgs.com



No. CANEC2301575901

Page 15 of 16

Date: 22 Feb 2023









No. CANEC2301575901

Date: 22 Feb 2023 Page 16 of 16



SGS authenticate the photo on original report only

*** End of Report ***

