

## Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 1 of 15

Client Name: YAGEO CORPORATION / BESTBRIGHT ELECTRONICS CO.,LTD

Client Address: 3F., 233-1, BAOQIAO RD., XINDIAN DIST., NEW TAIPEI CITY 23145, TAIWAN CHINA / BUILDING 3, NO.24 EAST INDUSTRIAL ROAD, SONGSHAN LAKE PARK, DONGGUAN CITY, GUANGDONG PROVINCE,P.R.C

Sample Name: Fuse SMD

The above sample(s) and information were provided by the client.

SGS Job No.: SZP25-001281

Sample Receiving Date: Jan 10, 2025

Testing Period: Jan 10, 2025 ~ Jan 22, 2025

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

| Test Requirement  | Conclusion  |
|---|-------------|
| EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) | Pass        |
| AfPS GS 2019:01 PAK-Polycyclic Aromatic Hydrocarbons (PAHs)   | See Results |
| EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium   | Pass        |
| Halogen   | See Results |
| Perfluorooctanoic acid (PFOA) and its salts, Perfluorooctane sulfonic acid (PFOS) and its derivatives   | See Results |

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

**Arsene Ye**

Arsene Ye  
Approved Signatory

scan to see the report



A9C864A9



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 2 of 15

### Test Result(s):

#### Test Part Description:

| SN ID | Sample No. | SGS Sample ID           | Description   |
|-------|------------|-------------------------|---------------|
| SN1   | A6         | CAN25-0008506-0001.C006 | "Fuse SMD"    |
| SN2   | A7         | CAN25-0008506-0001.C007 | Silvery metal |

#### Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

**EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)**

**Test Method:** With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017 and IEC 62321-12:2023, analysis was performed by ICP-OES/AAS, UV-Vis and GC-MS.

| Test Item(s)                              | Limit | Unit(s) | MDL | A6 |
|---|-------|---------|-----|----|
| Lead (Pb)                                 | 1000  | mg/kg   | 2   | ND |
| Mercury (Hg)                              | 1000  | mg/kg   | 2   | ND |
| Cadmium (Cd)                              | 100   | mg/kg   | 2   | ND |
| Hexavalent Chromium (Cr(VI))              | 1000  | mg/kg   | 8   | ND |
| Polybrominated biphenyls (PBB)            | 1000  | mg/kg   | -   | ND |
| Monobrominated biphenyl (MonoBB)          | -     | mg/kg   | 25  | ND |
| Dibrominated biphenyl (DiBB)              | -     | mg/kg   | 25  | ND |
| Tribrominated biphenyl (TriBB)            | -     | mg/kg   | 25  | ND |
| Tetrabrominated biphenyl (TetraBB)        | -     | mg/kg   | 25  | ND |
| Pentabrominated biphenyl (PentaBB)        | -     | mg/kg   | 25  | ND |
| Hexabrominated biphenyl (HexaBB)          | -     | mg/kg   | 25  | ND |
| Heptabrominated biphenyl (HeptaBB)        | -     | mg/kg   | 25  | ND |
| Octabrominated biphenyl (OctaBB)          | -     | mg/kg   | 25  | ND |
| Nonabrominated biphenyl (NonaBB)          | -     | mg/kg   | 25  | ND |
| Decabrominated biphenyl (DecaBB)          | -     | mg/kg   | 25  | ND |
| Polybrominated diphenyl ethers (PBDE)     | 1000  | mg/kg   | -   | ND |
| Monobrominated diphenyl ether (MonoBDE)   | -     | mg/kg   | 25  | ND |
| Dibrominated diphenyl ether (DiBDE)       | -     | mg/kg   | 25  | ND |
| Tribrominated diphenyl ether (TriBDE)     | -     | mg/kg   | 25  | ND |
| Tetrabrominated diphenyl ether (TetraBDE) | -     | mg/kg   | 25  | ND |
| Pentabrominated diphenyl ether (PentaBDE) | -     | mg/kg   | 25  | ND |
| Hexabrominated diphenyl ether (HexaBDE)   | -     | mg/kg   | 25  | ND |
| Heptabrominated diphenyl ether (HeptaBDE) | -     | mg/kg   | 25  | ND |



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch: Guangzhou City, China

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)

# Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 3 of 15

| Test Item(s)                            | Limit | Unit(s) | MDL | A6 |
|---|-------|---------|-----|----|
| Octabrominated diphenyl ether (OctaBDE) | -     | mg/kg   | 25  | ND |
| Nonabrominated diphenyl ether (NonaBDE) | -     | mg/kg   | 25  | ND |
| Decabrominated diphenyl ether (DecaBDE) | -     | mg/kg   | 25  | ND |
| Di-2-Ethyl Hexyl Phthalate (DEHP)       | 1000  | mg/kg   | 50  | ND |
| Benzyl Butyl Phthalate (BBP)            | 1000  | mg/kg   | 50  | ND |
| Dibutyl Phthalate (DBP)                 | 1000  | mg/kg   | 50  | ND |
| Diisobutyl Phthalate (DIBP)             | 1000  | mg/kg   | 50  | ND |

## Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series.
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

## AfPS GS 2019:01 PAK-Polycyclic Aromatic Hydrocarbons (PAHs)

**Test Method:** With reference to AfPS GS 2019:01 PAK, analysis was performed by GC-MS.

| Test Item(s)  | CAS No.  | Unit(s) | MDL | A6 |
|---|----------|---------|-----|----|
| Benzo(a)pyrene(BaP)   | 50-32-8  | mg/kg   | 0.1 | ND |
| Benzo(e)pyrene(BeP)   | 192-97-2 | mg/kg   | 0.1 | ND |
| Benzo(a)anthracene(BaA)   | 56-55-3  | mg/kg   | 0.1 | ND |
| Benzo(b)Fluoranthene(BbF)   | 205-99-2 | mg/kg   | 0.1 | ND |
| Benzo(j)fluoranthene(BjF)   | 205-82-3 | mg/kg   | 0.1 | ND |
| Benzo(k)Fluoranthene(BkF)   | 207-08-9 | mg/kg   | 0.1 | ND |
| Chrysene(CHR)   | 218-01-9 | mg/kg   | 0.1 | ND |
| Dibenzo(a,h)Anthracene(DBA)   | 53-70-3  | mg/kg   | 0.1 | ND |
| Benzo(g,h,i)perylene(BPE)   | 191-24-2 | mg/kg   | 0.1 | ND |
| Indeno(1,2,3-c,d)pyrene(IPY)  | 193-39-5 | mg/kg   | 0.1 | ND |
| Phenanthrene(PHE)   | 85-01-8  | mg/kg   | 0.1 | ND |
| Pyrene(PYR)   | 129-00-0 | mg/kg   | 0.1 | ND |
| Anthracene(ANT)   | 120-12-7 | mg/kg   | 0.1 | ND |
| Fluoranthene(FLT)   | 206-44-0 | mg/kg   | 0.1 | ND |
| Sum of Phenanthrene(PHE), Pyrene(PYR), Anthracene(ANT), Fluoranthene(FLT) | -        | mg/kg   | -   | ND |
| Naphthalene(NAP)  | 91-20-3  | mg/kg   | 0.1 | ND |
| Sum of 15 PAHs  | -        | mg/kg   | -   | ND |
| Material Category   | -        | -       | -   | -  |

## Notes:

### AfPS (German commission for Product Safety) : PAHs requirements

| Parameter | Category 1 | Category 2 | Category 3 |
|-----------|------------|------------|------------|
|-----------|------------|------------|------------|



SGS-CST Standards Technical Service Co., Ltd.  
Guangzhou Branch / 广州分公司

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

## Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 4 of 15

|   | Materials intended to be placed in the mouth, or materials coming into long-term contact with skin (more than 30s) during the intended use<br>-in toys according to Directive 2009/48/EC or<br>-for the use by children <sup>a,b</sup> up to 3 years of age. | Materials not covered by category 1, coming into long-term contact (more than 30s) or short-term repetitive contact <sup>c</sup> with skin during the intended or foreseeable use <sup>d</sup> . |                               | Materials covered neither by category 1 nor by category 2, coming into short-term contact (up to 30s) with skin during the intended or foreseeable use. |                               |
|---|--|--|-------------------------------|---|-------------------------------|
|   |  | a.<br>use by children  | b.<br>other consumer products | a.<br>use by children   | b.<br>other consumer products |
| Benzo(a)pyrene (BaP) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Benzo(e)pyrene (BeP) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Benzo(a)anthracene (BaA) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Benzo(b)fluoranthene (BbF) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Benzo(j)fluoranthene (BjF) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Benzo(k)fluoranthene (BkF) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Chrysene (CHR) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Dibenzo(a,h)anthracene (DBA) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Benzo(g,h,i)perylene (BPE) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Indeno(1,2,3-cd)pyrene (IPY) mg/kg  | < 0.2  | < 0.2  | < 0.5                         | < 0.5   | < 1                           |
| Phenanthrene (PHE), pyrene (PYR), anthracene (ANT), fluoranthene (FLT), mg/kg | < 1 Sum  | < 5 Sum  | < 10 Sum                      | < 20 Sum  | < 50 Sum                      |



SGS-CTC Standards Technical Services Co., Ltd.  
Guangzhou Branch / 广州分公司

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



## Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 5 of 15

|                            |     |      |      |
|----------------------------|-----|------|------|
| Naphthalene (NAP)<br>mg/kg | < 1 | < 2  | < 10 |
| <b>Sum of 15 PAHs</b>      | <1  | < 5  | < 10 |
|                            |     | < 20 | < 50 |

### Notes:

<sup>a</sup> A "Child" is legally defined as a person before reaching the age of 14 years.

<sup>b</sup> Use by children includes both active and passive contact by children.

<sup>c</sup> Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No.1272/2013)

<sup>d</sup> According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28)

"foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.

### Remark:

The German committee on Product Safety (AfPS) published a new PAHs document (AfPS GS 2019:01 PAK) on April 10, 2020, which will be binding for the issue of GS mark certificate from July 1, 2020.

### EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU- Lead, Mercury, Cadmium and Hexavalent chromium

**Test Method:** With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013 and IEC 62321-7-1:2015, analysis was performed by ICP-OES/AAS and UV-Vis.

| Test Item(s)                              | Limit | Unit(s)            | MDL  | A7 |
|---|-------|--------------------|------|----|
| Lead (Pb)                                 | 1000  | mg/kg              | 2    | 42 |
| Mercury (Hg)                              | 1000  | mg/kg              | 2    | ND |
| Cadmium (Cd)                              | 100   | mg/kg              | 2    | ND |
| Hexavalent Chromium (Cr(VI)) <sup>▼</sup> | -     | µg/cm <sup>2</sup> | 0.10 | ND |

### Notes:

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(2) IEC 62321 series is equivalent to EN 62321 series.

- (3) <sup>▼</sup> =
- The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm<sup>2</sup>. The sample coating is considered to contain Cr(VI).
  - The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.10 µg/cm<sup>2</sup>). The coating is considered a non-Cr(VI) based coating.
  - The result between 0.10 µg/cm<sup>2</sup> and 0.13 µg/cm<sup>2</sup> is considered to be inconclusive-unavoidable coating variations may influence the determination.

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

### Halogen

**Test Method:** With reference to EN 14582:2016, analysis was performed by IC.

| Test Item(s) | Unit(s) | MDL | A6 |
|--------------|---------|-----|----|
| Fluorine(F)  | mg/kg   | 20  | ND |
| Chlorine(Cl) | mg/kg   | 50  | ND |



SGS-CT Standards Technical Service Co., Ltd.  
Guangzhou Branch Technical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
**Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

# Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 6 of 15

| Test Item(s) | Unit(s) | MDL | A6 |
|--------------|---------|-----|----|
| Bromine(Br)  | mg/kg   | 50  | ND |
| Iodine(I)    | mg/kg   | 50  | ND |

## Perfluorooctanoic acid (PFOA) and its salts, Perfluorooctane sulfonic acid (PFOS) and its derivatives

**Test Method:** Modified EN 17681-1:2022, analysis was performed by LC-MS or LC-MS/MS.

| Test Item(s)   | CAS No.    | Unit(s) | MDL   | A6 |
|--|------------|---------|-------|----|
| <b>PFOS, its salts and related compounds</b>                             |            |         |       |    |
| Perfluorooctane sulfonic acid (PFOS), its salts^                         | 1763-23-1  | mg/kg   | 0.010 | ND |
| N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA)                          | 4151-50-2  | mg/kg   | 0.010 | ND |
| N-methylperfluoro-1-octanesulfonamide (N-MeFOSA)                         | 31506-32-8 | mg/kg   | 0.010 | ND |
| 2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-EtFOSE)              | 1691-99-2  | mg/kg   | 0.010 | ND |
| 2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)             | 24448-09-7 | mg/kg   | 0.010 | ND |
| Perfluorooctane Sulfonamide (PFOSA), its salts^                          | 754-91-6   | mg/kg   | 0.010 | ND |
| Perfluorooctane sulfonamidoacetic Acid (FOSAA), its salts^               | 2806-24-8  | mg/kg   | 0.010 | ND |
| N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA), its salts^ | 2355-31-9  | mg/kg   | 0.010 | ND |
| N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA), its salts^    | 2991-50-6  | mg/kg   | 0.010 | ND |
| Sum of Perfluorooctane sulfonic acid (PFOS) and its derivatives          | -          | mg/kg   | -     | ND |
| <b>PFOA, its salts</b>   |            |         |       |    |
| Perfluorooctanoic acid (PFOA), its salts^                                | 335-67-1   | mg/kg   | 0.010 | ND |

### Notes:

1. ^=Substances refer to its salts/derivative listed in below table.

| Substance Name  | CAS No.    |
|---|------------|
| <b>PFOS, its salts &amp; derivatives</b>  |            |
| Perfluorooctane sulfonic acid (PFOS)  | 1763-23-1  |
| Potassium Perfluorooctanesulfonate (PFOS-K)   | 2795-39-3  |
| Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)  | 29457-72-5 |
| Sodium perfluorooctanesulfonate (PFOS-Na)   | 4021-47-0  |
| Ammonium perfluorooctanesulfonate (PFOS-NH <sub>4</sub> )   | 29081-56-9 |
| Perfluorooctane sulfonate diethanolamine salt (PFOS-NH <sub>2</sub> (C <sub>2</sub> H <sub>4</sub> OH) <sub>2</sub> ) | 70225-14-8 |



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch: Guangzhou City, Guangdong, China

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
**Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)**

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

## Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 7 of 15

|  |              |
|--|--------------|
| Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> )  | 56773-42-3   |
| N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-N(C <sub>10</sub> H <sub>21</sub> ) <sub>2</sub> (CH <sub>3</sub> ) <sub>2</sub> ) | 251099-16-8  |
| TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )   | 111873-33-7  |
| Perfluorooctane Sulfonyl fluoride (PFOS-F)   | 307-35-7     |
| Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)   | 91036-71-4   |
| Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate  | 71463-74-6   |
| Perfluorooctanesulfonate   | 45298-90-6   |
| Triethylammonium perfluorooctane sulfonate (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>3</sub> )  | 54439-46-2   |
| Tetramethylammonium perfluorooctane sulfonate (PFOS-N(CH <sub>3</sub> ) <sub>4</sub> )   | 56773-44-5   |
| N,N,N-Tripropylpentan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-N(C <sub>3</sub> H <sub>7</sub> ) <sub>3</sub> (C <sub>5</sub> H <sub>11</sub> ))  | 56773-56-9   |
| N,N-Dibutyl-N-methylbutan-1-aminium heptadecafluorooctane-1-sulfonate (PFOS-N(C <sub>4</sub> H <sub>9</sub> ) <sub>3</sub> (CH <sub>3</sub> ))   | 124472-68-0  |
| Iodonium, bis[4-(1,1-dimethylethyl)phenyl]-, salt with perfluoro-1-octanesulfonic acid (1:1)   | 213740-80-8  |
| Diphenyl(2,4,6-trimethylphenyl)sulfonium perfluoro-1-octanesulfonate   | 258341-99-0  |
| 1-Hexadecylpyridinium perfluoro-1-octanesulfonate  | 334529-63-4  |
| N,N,N-Triethyldecan-1-aminium heptadecafluorooctane-1-sulfonate  | 773895-92-4  |
| Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P (C <sub>4</sub> H <sub>9</sub> ) <sub>4</sub> )  | 2185049-59-4 |
| Perfluorooctanesulfonic acid diethylamine salt (PFOS-C <sub>4</sub> H <sub>11</sub> N)   | 2205029-08-7 |
| heptyldimethyl{2-[(2-methylprop-2-enoyl)oxy]ethyl}azanium heptadecafluorooctane-1-sulfonate (PFOS-C <sub>15</sub> H <sub>30</sub> NO <sub>2</sub> )  | 1203998-97-3 |
| Perfluorooctane sulfonic anhydride (PFOSAN)  | 423-92-7     |
| <b>FOSAA, its salts</b>  |              |
| Perfluorooctane sulfonamidoacetic Acid (FOSAA)   | 2806-24-8    |
| N-[(Perfluorooctyl)sulfonyl]glycinate (FOSAA(anion))   | 909405-47-6  |
| N-[(Perfluorooctyl)sulfonyl]glycine potassium salt (1:1) (FOSAA-K)   | 75260-69-4   |
| N-[(Perfluorooctyl)sulfonyl]glycine sodium salt (1:1) (FOSAA-Na)   | 115716-87-5  |
| <b>N-MeFOSAA, its salts</b>  |              |
| N-Methylperfluoro-1-octanesulfonamidoacetic Acid (N-MeFOSAA)   | 2355-31-9    |
| 2-(N-Methylperfluorooctanesulfonamido)acetate (N-Me-FOSAA(anion))  | 909405-48-7  |
| Potassium N-((heptadecafluorooctyl)sulphonyl)-N-methylglycinate (N-Me-FOSAA-K)   | 70281-93-5   |
| <b>N-EtFOSAA, its salts</b>  |              |
| N-Ethylperfluorooctane sulfonamidoacetic Acid (N-EtFOSAA)  | 2991-50-6    |
| Glycine, N-ethyl-N-[(heptadecafluorooctyl)sulfonyl]-, potassium salt (N-Et-FOSAA-K)  | 2991-51-7    |
| 2-(N-Ethyl-perfluorooctanesulfonamido)acetate (N-Et-FOSAA(anion))  | 909405-49-8  |
| Ammonium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-NH <sub>4</sub> )  | 2991-52-8    |



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch: Standards Technical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

## Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 8 of 15

|  |              |
|--|--------------|
| Sodium 2-(N-ethylperfluorooctanesulfonamido)acetate (N-Et-FOSAA-Na)  | 3871-50-9    |
| <b>PFOSA, its salts</b>  |              |
| Perfluorooctane Sulfonamide (PFOSA)  | 754-91-6     |
| Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)   | 76752-79-9   |
| Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)  | 76752-78-8   |
| Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)  | 76752-70-0   |
| Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH <sub>4</sub> )  | 76752-72-2   |
| Heptadecafluorooctane-1-sulphonamide, compound with triethylamine (1:1) (PFOSA-C <sub>6</sub> H <sub>15</sub> N) | 76752-82-4   |
| <b>PFOA, its salts &amp; derivatives</b>   |              |
| Perfluorooctanoic acid (PFOA)  | 335-67-1     |
| Sodium perfluorooctanoate (PFOA-Na)  | 335-95-5     |
| Potassium perfluorooctanoate (PFOA-K)  | 2395-00-8    |
| Silver perfluorooctanoate (PFOA-Ag)  | 335-93-3     |
| Perfluorooctanoyl fluoride (PFOA-F)  | 335-66-0     |
| Ammonium pentadecafluorooctanoate (APFO)   | 3825-26-1    |
| Lithium perfluorooctanoate (PFOA-Li)   | 17125-58-5   |
| Cobalt perfluorooctanoate (PFOA-Co)  | 35965-01-6   |
| Cesium perfluorooctanoate (PFOA-Cs)  | 17125-60-9   |
| Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3+))                        | 68141-02-6   |
| Pentadecafluorooctanoic acid--piperazine (2/1) (PFOA-NH(C <sub>4</sub> H <sub>10</sub> N))                       | 423-52-9     |
| Pentadecafluorooctanoate (anion)   | 45285-51-6   |
| Perfluorooctanoic Anhydride  | 33496-48-9   |
| N,N,N-Triethylethanaminium perfluorooctanoate  | 98241-25-9   |
| Perfluorooctanoate N,N,N-Trimethylmethanaminium  | 32609-65-7   |
| Tetrapropylammonium perfluorooctanoate   | 277749-00-5  |
| Potassium pentadecafluorooctanoate--water (1/1/2) (PFOA-K(H <sub>2</sub> O) <sub>2</sub> )                       | 98065-31-7   |
| Perfluorooctanoic acid compd. with ethanamine (1:1) (PFOA-C <sub>2</sub> H <sub>7</sub> N)                       | 1376936-03-6 |
| Pentadecafluorooctanoic acid--pyridine (1/1) (PFOA-C <sub>5</sub> H <sub>5</sub> N)                              | 95658-47-2   |
| pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-C <sub>10</sub> H <sub>14</sub> N <sub>2</sub> )     | 1514-68-7    |
| N,N,N-Trimethyloctan-1-aminium pentadecafluorooctanoate (PFOA-C <sub>11</sub> H <sub>26</sub> N)                 | 927835-01-6  |

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.



SGS-CTC Standards Technical Services Co., Ltd.  
Guangzhou Branch / 广州分公司

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com




#### Elements Testing Flow Chart

These samples were dissolved totally by pre-conditioning method according to below flow chart.



### Hexavalent Chromium (Cr(VI)) Testing Flow Chart



## Test Report


### ATTACHMENTS

No.: CANEC25000850602

Date: Feb 06, 2025

Page 11 of 15

### PBB/PBDE/Phthalates Testing Flow Chart



SGS-CSTC Standards Technical Services Co., Ltd.  
Guangzhou Branch Technical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn  
t (86-20) 82155555 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


## Test Report ATTACHMENTS

No.: CANEC25000850602

Date: Feb 06, 2025

Page 12 of 15

### PAHs Testing Flow Chart



SGS-CSI Standards Technical Services Co., Ltd.  
Guangzhou Branch/Technical Laboratory


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663


t (86-20) 82155555 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



#### Halogen Testing Flow Chart



## PFASs/ PFOS/PFOA Testing Flow Chart




## Test Report

No.: CANEC25000850602

Date: Feb 06, 2025

Page 15 of 15

Sample Photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*



SGS-CTI Standards Technical Services Co., Ltd.  
Guangzhou Branch Technical Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.198, Kezhu Road, Science City, Economic & Technological Development Area, Guangzhou, Guangdong, China 510663  
中国·广东·广州高新技术产业开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t (86-20) 82155555 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)