

Thermistor-type Devices for Use in Electric Vehicles - Component

COMPANY

BESTBRIGHT ELECTRONICS CO LTD

#3 Bldg, Modern enterprise accelerator park, Song Shan Lake High-tech Industrial development zone Dongguan, Guangdong 523808 China

E541617

Marking: Company name model designation, and the Recognized Component Mark Note: For additional marking information, refer to the <u>Guide Information Page</u>.

View model for additional information

EV Current Limiter, Model(s): <u>SMDH0805B005TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH0805B016TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH0805B020TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH0805B035TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH0805B050TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B005TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B012TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B020TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B025TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B110TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B125TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B150TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B175TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1206B200TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1210B016TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1210B020TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1210B035TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1210B075TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1210B110TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1210B125TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1210B150TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B014TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B020TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank

EV Current Limiter, Model(s): <u>SMDH1812B035TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B050TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B075TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B110TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B125TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B150TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH1812B175TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH2016B080TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH2016B260TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH2920B100TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH2920B120TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

EV Current Limiter, Model(s): <u>SMDH2920B150TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank

EV Current Limiter, Model(s): <u>SMDH2920B185TF%%%</u> "%%%" represents customer code, can be 3 any alphanumeric characters or blank.

Last Updated on 2025-01-02

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."